## In the Claims

- 1. (Original) A method of treating a poxvirus infection, the method comprising administering to an individual an effective amount of IFN- $\alpha$ .
- 2. (Original) The method of claim 1, wherein the IFN- $\alpha$  is administered concurrently with a vaccinia virus vaccine.
- 3. (Original) The method of claim 1, wherein the individual has been vaccinated with vaccinia virus.
- 4. (Original) The method of claim 3, wherein the IFN- $\alpha$  is administered from 1 to 30 days after vaccination.
- 5. (Original) The method of claim 1, wherein IFN-α is administered from 1 day to 1 year before administration of a vaccinia virus vaccine.
- 6. (Original) The method of claim 1, further comprising administering a vaccinia virus vaccine.
- 7. (Original) The method of claim 1, wherein the individual has been exposed to smallpox virus, and the IFN- $\alpha$  is administered within 24 hours of exposure to smallpox virus.
- 8. (Original) The method of claim 1, wherein the individual has been exposed to smallpox virus, and the IFN- $\alpha$  is administered within 48 hours of exposure to smallpox virus.
- 9. (Original) The method of claim 1, wherein the individual has been exposed to smallpox virus, and the IFN- $\alpha$  is administered 72 hours to 35 days after exposure to smallpox virus.

- 10. (Original) A method of treating a poxvirus infection, the method comprising administering to an individual an effective amount of IFN-γ.
- 11. (Original) The method of claim 10, wherein the IFN-  $\gamma$  is administered concurrently with a vaccinia virus vaccine.
- 12. (Original) The method of claim 10, wherein the individual has been vaccinated with vaccinia virus.
- 13. (Original) The method of claim 12, wherein the IFN-γ is administered from 1 to 30 days after vaccination.
- 14. (Original) The method of claim 10, wherein IFN-γ is administered from 1 day to 1 year before administration of a vaccinia virus vaccine.
- 15. (Original) The method of claim 10, further comprising administering a vaccinia virus vaccine.
- 16. (Original) The method of claim 10, wherein the individual has been exposed to smallpox virus, and the IFN-γ is administered within 24 hours of exposure to smallpox virus.
- 17. (Original) The method of claim 10, wherein the individual has been exposed to smallpox virus, and the IFN-  $\gamma$  is administered within 48 hours of exposure to smallpox virus.
- 18. (Original) The method of claim 10, wherein the individual has been exposed to smallpox virus, and the IFN-  $\gamma$  is administered 72 hours to 35 days after exposure to smallpox virus.
- 19. (Original) A method of treating a poxvirus infection, the method comprising administering to an individual effective amounts of IFN- $\gamma$  and IFN- $\alpha$ .

- 20. (Original) The method of claim 19, wherein the IFN- $\gamma$  and IFN- $\alpha$  are administered concurrently with a vaccinia virus vaccine.
- 21. (Original) The method of claim 19, wherein the individual has been vaccinated with vaccinia virus.
- 22. (Original) The method of claim 21, wherein the IFN- $\gamma$  and IFN- $\alpha$  are administered from 1 to 30 days after vaccination.
- 23. (Original) The method of claim 19, wherein the IFN- $\gamma$  and IFN- $\alpha$  are administered from 1 day to 1 year before administration of a vaccinia virus vaccine.
- 24. (Original) The method of claim 19, further comprising administering a vaccinia virus vaccine.
- 25. (Original) The method of claim 19, wherein the individual has been exposed to smallpox virus, and the IFN- $\gamma$  and IFN- $\alpha$  are administered within 24 hours of exposure to smallpox virus.
- 26. (Original) The method of claim 19, wherein the individual has been exposed to smallpox virus, and the IFN- $\gamma$  and IFN- $\alpha$  are administered within 48 hours of exposure to smallpox virus.
- 27. (Original) The method of claim 19, wherein the individual has been exposed to smallpox virus, and the IFN- $\gamma$  and IFN- $\alpha$  are administered 72 hours to 35 days after exposure to smallpox virus.
- 28. (Currently Amended) The method of any one of claims claim 1, 10, and 19, further comprising administering an effective amount of a nucleotide analog or a nucleoside analog.

- 29. (Currently Amended) The method of any one of claims 1-9 claim 1, wherein the IFN- $\alpha$  is a consensus interferon.
- 30. (Currently Amended) The method of any one of claims 19-27 claim 19, wherein the IFN- $\alpha$  is a consensus interferon.
- 31. (New) The method of Claim 10, further comprising administering an effective amount of a nucleotide analog or a nucleoside analog.
- 32. (New) The method of Claim 19, further comprising administering an effective amount of a nucleotide analog or a nucleoside analog.